

PRO-CORK

COLORS

ALL COLORS AVAILABLE 48"w
● COLORS ALSO AVAILABLE IN 72"



Uni-Colored Linoleum

Natural homogeneous resilient tackable surface material in sheets.

MATERIAL

Linoleum resilient tackable surface material shall be Bulletin Board as manufactured by Forbo.

Construction

Linoleum resilient homogeneous tackable surface material shall be of natural materials consisting of linseed oil, granulated cork, resin binders and dry pigments, mixed and calendered onto a natural burlap backing. Uni-color shall extend throughout thickness of material. Contains no harmful by-products or carcinogens.

Physical Characteristics

Width	48" (122cm)
.....	72" (183cm)
Gauge.....	1/4" (6.0 mm)
Length.....	90 lineal feet (27.0 lineal meters) approximate
Backing.....	Burlap

Technical Data

Flexibility

Will not crack or break when bent around a 2 3/4" (70mm) diameter cylinder.

Fire Resistance

ASTM E-84 (Fuel Contribution)—Class B
NFPA 255 (Critical Radiant Flux)—Class II

Electrical Insulation

DIN 51953—1010 Ohm
VDE 0100 24—106 Ohm

Anti-static characteristics to ISOTR6356—minimal charges, even at 23oC and 25% relative humidity. Under normal conditions, Bulletin Board is not susceptible to build-up of electrostatic charges.

Thermal Conductivity

The coefficient of thermal conductivity is 0.10 W/m.K.

Chemical Resistance

• Diluted Acids:

Acetic Acid (5%)..... No effect

Citric Acid (5%) No effect

Lactic Acid (5%) No effect

• Solvents:

White Spirits..... No effect

Turpentine..... No effect

Ether..... No effect

Acetone..... No effect

• Miscellaneous:

Hydrogen Peroxide (3%) No effect

Alcohol No effect

Mineral Oil No effect

Vegetable Oil..... No effect

Formalin (2%) No effect

*Not resistant to high alkalis. Use neutral pH cleaners (pH 7-8.5)

Technical Services

For current installation and maintenance specifications, and other technical data, contact Forbo Industries Support Services at 1-800-233-0475.

Areas of Application

- For any indoor application where the following features are required:
- Wherever low life-cycle cost, decorative and durable bulletin boards are required (in schools, clubs, business, etc.)
- As a tackable surface for use on decorative or functional walls (kindergartens, schools, meeting rooms, hospitals, etc.)
- As a decorative finish to movable partitions, furniture, doors, cupboards, etc.

Washable Finish

Bulletin Board's linoleum surface, provides for a washable finish to retain original appearance. The surface can be wiped or washed using any common pH neutral cleaning method (pH 7-8.5). Simply rinse with water after cleaning.

Dimensional Stability

Due to the natural burlap backing providing a strong durable foundation, the product is dimensionally stable in all directions when properly installed. It resists cracking, drying and peeling.

Self-Healing

Ability to self-heal from thumbtack and pin punctures. Does not dry out, crack, peel or crumble. Tacks can be inserted easily and are gripped firmly.

Light Reflection

Bulletin Board comes in matte colors so that annoying reflection caused by sun or artificial light is reduced.

Resistance to Bacteria

Provides a self-sanitizing quality in the form of a bactericidal effect. Recent tests suggest that Bulletin Board has a sterile zone around the material inhibiting contaminants such as staphylococcus aureas.