

EDUCATIONAL EQUIPMENT




Wheat 130



Vanilla Neutral 403



Pumice 423



Violet 753




Desert Sand 758



Pearl 481



Rose Quartz 390




Lilac 752




Buff 460



Apricot Neutral 404




Cherry Neutral 400




Bronze 545




Bone 748



Opal 394



Cinnabar 422



Sienna 475



Straw 747



Light Moss 754



Leaf 755



Deep Burgundy 556



Terra 751



Dune 749



Stream 757



Claret Accent 418

EDUCATIONAL EQUIPMENT




Blue Plum 553



Lavendar Neutral 405



Blue Neutral 401




Silver Neutral 406




Amethyst 424




Green Neutral 402



Blue Papier 539



Silver Papier 538




Crystal Blue 175



Aquamarine 381



Lake 756




Verte Papier 561




Bayberry 486



Ultramarine 470



Eucalyptus 468




Grey Mix 238




Wedgewood 150



Chrome Green 549



Quartz 380




Medium Grey 298



Baltic 153



Blue Spruce 467



Cement Mix 750



Black 408

SPECIFICATIONS

FR 701[°]

PATTERN	2100
CONTENTS	100% Terratex [®] M Polyester
WEIGHT	16.0 ± 0.5 Oz./Lin. Yd.
WIDTH	66" Useable
REPEAT	None
CLEANING CODE	
W-S	Fabric may be cleaned with mild, water-free solvents or water-based cleaning agents or foam.
PERFORMANCE	
TENSILE (ASTM D 5034)	150 Lbs. Min. -Warp and Fill
TEAR (ASTM D 2261)	30 Lbs. Min. - Warp and Fill
MOISTURE REGAIN (ASTM D 2654)	0.5% Max.
COLORFASTNESS TO LIGHT (AATCC 16E)	40 Hrs.
COLORFASTNESS TO CROCKING (AATCC 8)	Class 4 Min. - Dry, Class 4 Min. - Wet
FLAMMABILITY	
ASTM E-84	Class 1 or A
NFPA-701 LARGE SCALE - 1989	Passes
STATE OF CA. TECH. BULLETIN E (CS-191-53)	Passes 117 SEC.

TERRATEX[®] IS A REGISTERED TRADEMARK OF INTERFACE INTERIOR FABRICS, INC. AND DESIGNATES FABRICS THAT ARE MADE FROM 100% RECYCLED MATERIAL USING INCREASINGLY SUSTAINABLE MANUFACTURING PRACTICES TO PRODUCE A HIGH QUALITY PRODUCT THAT IS RECYCLABLE AT THE END OF ITS USEFUL LIFE.
 0 71x1 FR 701[°] IS INCLUDED IN THE UNDERWRITERS LABORATORY PANEL FABRIC RECOGNITION PROGRAM. ADDITIONAL TESTING OF THE U.L. RECOGNIZED COMPONENT FABRIC IS NOT REQUIRED ON APPROVED PANELS FROM PARTICIPATING MANUFACTURERS.

COLORS MAY VARY SLIGHTLY BETWEEN DYE LOTS. APPLICATION TESTING OF THIS

PRODUCT IS RECOMMENDED. FR701[°] IS A REGISTERED TRADEMARK OF GUILFORD

OF MAINE.

THIS SAMPLE IS REPRESENTATIVE OF THE FINISHED COLOR TO BE SUPPLIED AND MAY NOT INDICATE AN EXACT MATCH. WHILE EVERY EFFORT IS MADE TO MATCH THIS COLOR TO A MASTER SAMPLE, SOME VARIATION MAY OCCUR. WE DO NOT RECOMMEND THAT YOU SPECIFY FROM THIS CARD AND CANNOT BE RESPONSIBLE FOR VARIATIONS IN SHADE BETWEEN THIS PRINTED CARD AND ACTUAL FABRIC.